

1. 世界衛生組織(WHO)於05/2011把手機、WIFI、各種無線通訊設備、電腦等電磁波列為**2B**類致癌物。The World Health Organisation has classified electromagnetic fields of the kind used in mobile telephony as Group 2b carcinogens—that is, as probably cancerous.
2. WiFi路由器 (router) 可使腎鈣化及細胞鈣化。
3. 電磁波損害神經，特別是腦神經
4. 歐盟之法國、德國、英國等立法全面禁止學校、圖書館等使用WI-FI，其他被懷疑有電磁波幅射的電子公眾設施也陸續加入禁用名單。其他國家正在加入實踐相類似措施。While France wisely outlawed wi-fi in its schools due to its serious effects on children, more appliances, transmitters, signals, antennas, phone masts, dishes, and electronic gadgetry is being added by the minute.
5. 電磁波(微波是電磁波一種)源用於軍事武器，促使敵陣地的人生癌和神經傷害(制衡用)
微波是其中一類常在日常生活中出現的電磁波，是源用於軍事武器，促使敵陣地的人生癌和神經傷害(制衡用)，後來被商人引用來作賺錢工具。Retired British military intelligence scientist Barrie Trower who for years worked in microwave and stealth warfare, has been speaking out and supplying scientific documentation regarding the serious dangers of EMFs, microwaves could be used as stealth weapons when the Russians beamed the American embassy during the Cold War and it gave everybody working in the embassy cancer, breast cancers, leukemias
6. 電磁波(微波是電磁波一種)促使女士卵泡基因永久性損傷(基因結構改變);亦令男士睪丸退化。Low level microwaves can interfere with the genetics in the ovarian follicles. The microwaves can damage the genetic structure, we now know, in those ovaries. So, when this young girl grows up, gets married, and has children, if she has a daughter, this particular mitochondrial genetic damage is irreparable.
7. 英國前微波武器專家(Barrie Trower)於2010年向King of Botswana博茨瓦納國君演說道明日常使用微波(電磁波)之手機、WIFI、電腦等電磁波和微波武器一樣具殺傷力。Barrie Trower Speaks about Microwave Radiation on August 24, 2010, Mr. Barrie Trower, a British physicist who was a microwave weapons expert and who worked for the Royal Navy and the British Secret Service, gave a talk at the University of Toronto about the health effects of WiFi and other forms of microwave radiation. Mr. Trower came out of retirement because he was concerned that the microwave frequencies and intensities to which children are exposed in schools are similar to those used for microwave weapons.
8. 國際科學家研究團隊(the Bioinitiative Working Group)，包括中國、美國、瑞士、丹麥、奧地利等科學家的650頁2000項研究報告證明電磁波產生多種嚴重疾病。In 2007, the Bioinitiative Working Group, an international collaboration of prestigious scientists and public health policy experts from the United States, Sweden, Denmark, Austria, and China, released a 650-page report citing more than 2,000 studies (many very recent) that detail the toxic effects of EMFs from all sources. Chronic exposure to even low-level radiation (like that from cell phones), the scientists concluded, can cause a variety of cancers, impair immunity, and contribute to Alzheimer's disease and dementia, heart disease, and many other ailments. "We now have a critical mass of evidence, and it gets stronger every day," says David Carpenter, MD, director of the Institute for Health and the Environment at the University at Albany and coauthor of the public-health chapters of the Bioinitiative report. Fears about the hazards of cell phones seem justified "Every single study of brain tumors that looks at 10 or more years of use shows an increased risk of brain cancer," says Cindy Sage, MA, coeditor of the report.
9. 以色列立法禁止住宅地區設手機發射天線。蘇聯官方警告18歲以下人士勿用手機，並警告國

民手機危害健康。Other countries are revising exposure standardsMembers of the European Union, which has led the way on EMF investigations, are moving quickly to protect their citizens, particularly children and pregnant women. In the past 2 years alone, France, Germany, and England have dismantled wireless networks in schools and public libraries, and other countries are pressing to follow suit. Israel has banned the placement of cellular antennae on residences, and Russian officials have advised against cell phone use for children under 18.

10. 神經學家Michael Persinger, PhD, a neuroscientist at Laurentian University 說愛迪生發明的電和相應的電磁場對人體健康的干擾和產生的種種疾病過了一個世紀到現在才廣泛地被人類知曉。"For the first time in our evolutionary history, we have generated an entire secondary, virtual, densely complex environment —an electromagnetic soup —that essentially overlaps the human nervous system," says Michael Persinger, PhD, a neuroscientist(神經學家)at Laurentian University who has studied the effects of EMFs on cancer cells. And it appears that, more than a century after Thomas Edison switched on his first lightbulb,the health consequences of that continual overlap are just now beginning to be documented.

11. 動物實驗顯示電磁波破壞腦屏障，使血液流入腦腔、破壞腦細胞，接觸中度和高度輻射會可能引致腦退化症 A body of reliable and consistent animal research shows that electromagnetic fields, equal to those generated by mobile phones, open the blood-brain barrier, causing blood vessels to leak fluid into the brain and damage neurons.

12. 美國國家癌症研究所說母親懷孕期間用電氈出生後兒童血癌機會為正常的兩倍。用電風筒、電視電子遊戲機之兒童血癌機會為正常的兩倍。In 1998, researchers with the National Cancer Institute reported that childhood leukemia risks were "significantly elevated" in children whose mothers used electric blankets during pregnancy and in children who used hair dryers, video machines in arcades, and video games connected to TVs.

13. 雷達及架空電纜附近居住的人患癌率大增。 cancer clusters on Cape Cod, which has a huge US Air Force radar array called PAVE PAWS, and Nantucket, home to a powerful Loran-C antenna. Counties in both areas have the highest incidences of all cancers in the entire state of Massachusetts.

14. WiFi令白蠟樹生腫瘤及殺死種子。荷蘭科學家亦進行類似的實驗，測試20棵吸收不同程度WiFi輻射的白蠟樹的健康狀況，發現曝露在WiFi下三個月的樹，都出現輻射照射的病徵，樹皮出現腫瘤，樹葉亦變得暗啞無光。另外，WiFi可殺死種子，丹麥測試無線訊號對植物生長的影响，WiFi路由器房間放置六盤發芽中的種子12日未能發芽，甚至枯萎死亡-----美國廣播公司

15. 中環玻璃膜牆商廈致癌電磁波爆錶。因玻璃膜牆不能阻隔電磁波，辦公室窗口位白領一族吸收大量電磁波例如中環廣場，大堂錄得366微瓦，但窗邊位則飆升至逾1,300微瓦，因為玻璃不能阻隔電磁波。《蘋果》在中環街頭及部份商廈測試，結果發現，滙豐總行外、皇后大道中、中銀大廈外，電磁波均「爆錶」，超過2,000微瓦。(安全指標是0.1微瓦)

16. 逾五、六十層的摩天豪宅越高電磁波就越高大廈越高，電磁波就越高，因電流輸電量越大；原因是不少高逾五、六十層的摩天大廈，一般都在中間樓層設立變壓房，供電到高層單位；電訊商也會在中間樓層設立射頻轉發站。西九龍豪宅、高75層的君臨天下，《蘋果》測試一個中高層單位的電磁波，由個位數至63微瓦不等，越近窗邊越高。(安全指標是0.1微瓦)

17. 日常生活，電磁波一般高於安全標準。近年有研究報告指，當室內電磁波達三、四千微瓦，患癌機率就增加四倍多；數十至數百微瓦已可引致不適症狀。按德國建築生物學院（IBN）的標準，睡眠環境如超過100微瓦已屬極強干擾

18. 本港採用世衛認可的寬鬆電磁波安全標準。本港採用「國際非電離輻射防護委員會」(ICNIRP)標準，被質疑袒護電訊商利益，極度寬鬆，比中國寬鬆100倍，更較德國IBN寬鬆10萬倍，以致「有可能超標」

19. 一些先進國家自設較嚴格的電磁波安全標準；但香港並無。市民因此無自我保護意識及知識。城市大學電子工程系副教授梁世榮也認為，世衛的標準過於寬鬆，有些國家自設較嚴格的目標

值 (Targeted Value)；但香港並無設目標值。他坦言：「符合標準唔代表對健康冇影響。」

20. 世衛認可的寬鬆電磁波安全標準是建基於短期測試，安全數據成疑。而ICNIRP被質疑與電訊商關係千絲萬縷，有委員被揭發持有電訊商股份，另有兩委員的研究經費，間接由手機製造商及全球流動通訊系統協會贊助。電磁波專家陳國雄表示，ICNIRP標準是根據大量的動物及細胞實驗研究數據而制訂，但大部份研究是短期實驗，忽視電磁輻射長遠對人體健康的影響。

21. 意大利法庭裁定受手機輻射致生腦瘤受害人勝訴，引發集體訴訟。意大利商人受手機輻射每日長達6小時達12年致腦瘤，觸發其他受害人控告手機商，甚至提出集體訴訟。

22. 手機和家居無線電話電磁輻射可破壞細胞，增加生腫瘤機會，無論是使用手機或室內無線電話持續十年，患惡性腫瘤的機會率會增加三成，患腦神經膠質瘤的機會率則上升四成。著名腫瘤學家萊維斯 (Angelo Gino Levis) 和神經外科專家格拉索 (Giuseppe Grasso) 認為，手機和家居無線電話釋出的電磁輻射可破壞細胞，增加生腫瘤機會。

23. 兒童使用手機時大腦對手機輻射的吸收量比成人高出**60%**2006年，巴西科學家研究發現，兒童使用手機時，大腦對手機輻射的吸收量比成人高出**60%**，兒童身體正處在發育階段，電磁波對身體的傷害，不可逆轉。-----人民網巴黎電。兒童身體正處在發育階段，對電磁輻射更加敏感，因此，有必要立法保護兒童身心健康。此外，法國政府還將對手機輻射量設限，要求手機搭配耳機一起出售，以便讓使用者的頭部遠離手機輻射源。

24. 兒童使用手機有潛伏危險。有專家認為，兒童使用手機弊多利少，電磁輻射對人體的傷害有時會潛伏數年，一旦發病便悔之晚矣。-----人民網巴黎電。令外，癌症一般潛伏數年至數十年不等，事發已為時已晚。

25. 男士手機放在褲前袋輻射可損精殺精，女士流產。多項醫學研究發現，若男士經常將手機放在褲前袋，手機釋出的輻射既損精子的質素，還會減少精子數量，影響生育能力。

26. 接觸中度和高度輻射會可能引致腦退化症瑞典一項研究指，老鼠實驗結果顯示，接觸中度和高度輻射會破壞主要腦細胞，可能引致腦退化症。-----《蘋果》資料室

27. 歐洲委員會警告孩子應避免用手机。歐洲委員會於05/2011警告，由於手機「可能有害」，學校課室內應全面禁用

28. 英國政府警告孩子應避免用手机。英國政府委託的獨立研究報告於05/2000警告，孩子應避免用手机，以免受微波輻射的不明影響

29. 香港**90%** 地方處於高水平電磁波區域。擁有德國地質生物學家資格的周博文批評，本港採用的標準過於寬鬆，「基本上有可能超標，方便電訊商做 嘢嘛！」環境中三大類電磁波：高頻、低頻、地下輻射。香港**90%** 地方處於高水平電磁波區域。電磁輻射令你頭痛頭暈、記憶力減退、失眠、脫髮、聽力下降等。電磁輻射助減人口：男人陽萎、女人不育、易生畸胎。

30. 九成癌病患者的家居電磁輻射超標。電磁輻射黑點：手機發射台、雷達站、廣播電塔、地下電纜、變壓站等。高危電器：微波爐、風筒、無線電話、手機、藍牙設備、電腦等。瑞典一項研究進一步指出，除了手提電話會令人罹患腦瘤的機會大增五倍之外，就連室內無線電話亦令患癌風險大幅增加四倍。

31. 用手机或室內無線電話持續十年腦神經膠質瘤的機會率則上升四成。於青少年時期開始使用手機，使用了最少十年的人士，患腦神經膠質瘤比率，較控制組高出四點九倍；而使用室內無線電話的人，患腦神經膠質瘤比率，亦較控制組高出三點九倍。無論是使用手機或室內無線電話持續十年，患惡性腫瘤的機會率會增加三成，患腦神經膠質瘤的機會率則上升四成

32. 連續七年每天使用手機十五分鐘，患腦神經膠質瘤風險會飆升七成二本港臨床腫瘤科專科醫生應志浩表示建議市民可考慮使用有線電話；兒童的腦部未完全發育，亦應避免長時間用手机，減低患癌風險。世衛公報一項跨十三國的研究指，若連續七年每天使用手機十五分鐘，患腦神經膠質瘤風險會飆升七成二。